

# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.

PRODUCED: MAR 07, 2022

SAMPLE: 3000MG CBD (100 PER SERVING) FRESH MINT (TINCTURE) // CLIENT: ESSO FARMS, INC // BATCH: PASS



**MATRIX:** TINCTURE  
**CATEGORY:** EDIBLE  
**SAMPLE ID:** CL-070322-014  
**COLLECTED ON:** MAR 07, 2022  
**RECEIVED ON:** MAR 07, 2022  
**BATCH/SAMPLE SIZE:** 1 UNITS / 1 UNITS  
**RECEIVED BY:** YASH GUDIMANI  
**SERVING/PACKAGE SIZE:** 1 G / 28.54 G

CANNABINOID OVERVIEW	
<b>CBD:</b>	102.3 mg/srv
<b>Δ<sup>9</sup>-THC:</b>	0 mg/srv
<b>TOTAL CANNABINOIDS:</b>	103.3 mg/srv

**CULTIVATOR INFO**

**CULTIVATOR**  
 ESSO FARMS  
 296 CORNEIL RD  
 IMLAY CITY, MI 48444

**LICENSE**  
 PT-20-045147  
 ADULT-USE - CULTIVATOR LICENSE

**BATCH RESULT:** PASS

**POTENCY** PASS

**CL-01: CANNABINOID POTENCY BY HPLC-PDA // MAR 07, 2022**

ANALYTE	LIMIT	AMT	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	0.018/0.059	N/A	THCV		ND	0.041/0.14	N/A
CBD	10.230 %	10.230 %	0.038/0.13	N/A	TOTAL THC **		0.039 %		N/A
CBDA		ND	0.02/0.068	N/A	TOTAL CBD **		10.230 %		N/A
CBDV	0.056 %	0.056 %	0.035/0.12	N/A	CBD/SRV		102.30 mg		N/A
CBDVA		ND	0.019/0.064	N/A	Δ <sup>8</sup> + Δ <sup>9</sup> -THC/SRV		ND		PASS
CBG		ND	0.039/0.13	N/A	Δ <sup>8</sup> -THC/SRV		ND		PASS
CBGA		ND	0.021/0.07	N/A	Δ <sup>9</sup> -THC/SRV		ND		N/A
CBN		ND	0.016/0.054	N/A	CBD/PKG		2919.64 mg		N/A
Δ <sup>8</sup> + Δ <sup>9</sup> -THC		ND		N/A	Δ <sup>8</sup> + Δ <sup>9</sup> -THC/PKG		ND		PASS
Δ <sup>8</sup> -THC	10 %	ND	0.044/0.15	PASS	Δ <sup>8</sup> -THC/PKG		ND		PASS
Δ <sup>9</sup> -THC		ND	0.043/0.14	N/A	Δ <sup>9</sup> -THC/PKG		ND		N/A
THCA	0.044 %	0.044 %	0.023/0.077	N/A					

\*\* TOTAL THC = DELTA-8-THC + DELTA-9-THC + (THCA X 0.877)

\*\* TOTAL CBD = CBD + (CBDA X 0.877)



PER ISO 17025, THIS REPORT ONLY CONTAINS AND CONCERNS THE SAMPLES LISTED WITHIN THIS DOCUMENT. SAMPLES WERE SAMPLED AND TESTED IN ACCORDANCE WITH THE SAFETY COMPLIANCE FACILITY SAMPLING AND TESTING INFORMATION PROVIDED BY THE STATE OF MICHIGAN.

**RESULTS CERTIFIED BY:** MANIK GUDIMANI  
 LAB DIRECTOR, CAN-LAB  
 MAR 07, 2022

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MICHIGAN COMPLIANCE CERTIFICATE.